

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L3 | 265 | 370/395.32 | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 08:55 |
| L4 | 3 | 3 and ((partial or part) adj3 key) | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 08:57 |
| L5 | 222 | ((content address\$4 memory) or CAM) with hash\$3 | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 08:58 |
| L6 | 26 | ((content address\$4 memory) or CAM) with hash\$3 with key | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:15 |
| L7 | 0 | ((content address\$4 memory) or CAM) with hash\$3 with key with partial | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:15 |
| L8 | 0 | ((content address\$4 memory) or CAM) with hash\$3 with key with part | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:15 |
| L9 | 0 | ((content address\$4 memory) or CAM) with hash\$3 with key with split | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:15 |
| L10 | 0 | ((content address\$4 memory) or CAM) with hash\$3 with key with half | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:16 |
| L11 | 5 | ((content address\$4 memory) or CAM) with hash\$3 with key with portion | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:16 |
| L12 | 5 | ((content address\$4 memory) or CAM) with hash\$3 with (key near4 portion) | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:45 |
| L13 | 184 | (compar\$3 adj4 key) and (compar\$3 adj4 hash) | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:46 |
| L14 | 4 | (compar\$3 adj4 key) and (compar\$3 adj4 hash) with (conflict or collision) | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 10:02 |
| L15 | 18 | (compar\$3 near5 partial near5 key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 09:58 |
| L16 | 0 | (compar\$3 near5 partial near5 key) with (collision or conflict\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 09:56 |
| L17 | 1 | (compar\$3 adj4 key) and (compar\$3 adj4 hash) with (benefit or advantage) | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 09:59 |
| L18 | 5 | (compar\$3 adj4 key) with (conflict or collision) | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 10:03 |

| | | | | | | |
|-----|----|--|---|-----|----|------------------|
| L20 | 1 | (Fibonacci and Galois) with (LFSR) with (benefit or advantage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 10:14 |
| L21 | 3 | (Fibonacci and Galois) with (benefit or advantage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 10:14 |
| L22 | 24 | reverse adj3 hash\$3 adj3 function | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:16 |
| L23 | 0 | reverse adj5 hash\$3 adj5 function adj5 partial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 10:56 |
| L24 | 0 | reverse adj5 hash\$3 adj5 function adj5 part | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 10:56 |
| L25 | 0 | reverse adj5 function adj5 partail | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 10:56 |
| L26 | 2 | reverse adj5 function adj5 partial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 10:56 |
| L27 | 7 | (reverse near5 hash\$3) with (key near5 hash) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:00 |

| | | | | | | |
|-----|-----|--|---|-----|----|------------------|
| L28 | 19 | (reverse near5 (hash\$3 or function)) with (key near5 value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:02 |
| L29 | 4 | (revers\$3 and hash\$3).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:03 |
| L30 | 1 | partial with (hash or value) with key with reverse | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:05 |
| L31 | 6 | 09/210,222 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:15 |
| L32 | 1 | (benefit or advantage) with (revers\$3 near5 hash\$4 near5 function) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:16 |
| L33 | 2 | "6675163".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:17 |
| L36 | 1 | "20020016806" | US-PGPUB; USPAT | ADJ | ON | 2005/10/27 11:22 |
| L38 | 244 | hash near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:24 |
| L39 | 36 | (hash adj3 value) near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 11:34 |

| | | | | | | |
|----|-----|------------------------------------|---|-----|----|------------------|
| S1 | 0 | 711/216 and (partial with key).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:46 |
| S2 | 5 | 711/216 and (partial with key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:47 |
| S3 | 12 | 711/216 and (partial with hash\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:50 |
| S4 | 10 | S3 not S2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 10:26 |
| S5 | 456 | 711/216 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 12:16 |
| S6 | 15 | (partial adj3 key) near15 hash\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 10:38 |
| S7 | 43 | 711/216 and 711/108 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 10:39 |
| S8 | 0 | S7 and (partial near5 key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 10:39 |

| | | | | | | |
|-----|------|---|---|-----|-----|------------------|
| S9 | 0 | S7 and (partial with key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 10:39 |
| S10 | 13 | S7 and (key and hash\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 10:48 |
| S11 | 5 | S7 and (key and hash\$3 and partial) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:30 |
| S12 | 106 | (part adj3 key) with hash\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:31 |
| S13 | 51 | (part adj3 key) with (hash\$3 adj6 (function or table or value)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:32 |
| S14 | 42 | (part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2005/10/26 11:43 |
| S16 | 2277 | ((part or partial) and key).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:43 |
| S17 | 2 | ((part or partial) and key and hash\$3).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:43 |

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| S18 | 1 | 711/216 and (part adj3 key).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:46 |
| S19 | 12 | 711/216 and (part adj3 key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:47 |
| S20 | 27 | 711/216 and (part adj5 hash\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:51 |
| S23 | 4 | 711/216 and ((part adj5 hash\$3) near15 key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 11:59 |
| S24 | 520 | ((part or partial) near6 key) and hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 12:01 |
| S25 | 45 | ((part or partial) near6 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 12:01 |
| S26 | 26 | ((part or partial) adj3 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 12:02 |
| S27 | 3900 | (CISCO TECHNOLOGY).as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 12:16 |

| | | | | | | |
|-----|-----|--|---|-----|----|------------------|
| S28 | 1 | S27 and (hash\$ with key with partial) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 12:17 |
| S29 | 1 | S27 and (hash\$ with (part adj4 key)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 12:18 |
| S30 | 1 | "6,324,636".pn. | USPAT | ADJ | ON | 2005/10/26 13:52 |
| S31 | 0 | 2002/0152389 | US-PGPUB | ADJ | ON | 2005/10/26 14:42 |
| S32 | 1 | "20020152389" | US-PGPUB | ADJ | ON | 2005/10/26 14:42 |
| S33 | 0 | (Galois and Fibonacci) with hash\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 14:50 |
| S34 | 74 | (Galois and Fibonacci) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 14:50 |
| S35 | 2 | (Galois and Fibonacci and hash\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 14:51 |
| S36 | 9 | (Fibonacci same hash\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 14:51 |
| S37 | 119 | (Fibonacci with (LFSR or shift register)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 14:52 |
| S38 | 62 | (Fibonacci and Galois) with (LFSR or shift register) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/26 14:52 |

| | | | | | | |
|-----|----|------------------------------------|---|-----|----|------------------|
| S39 | 38 | (Fibonacci and Galois) with (LFSR) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 10:13 |
|-----|----|------------------------------------|---|-----|----|------------------|